

Contents

Preface	viii
Organization	ix
Opening Address	x
Welcome Address	xi
Conference Photograph	xii
Fundamentals of fracture: a 1993 prologue, and other comments R. Thomson (Gaithersburg, MD, USA)	1
Embrittlement due to gaseous and liquid environments P. Neumann (Düsseldorf, Germany)	9
Directional bonding in atomistic simulations M. Aoki and D. G. Pettifor (Oxford, UK)	19
Size effect and statistics of fracture in random materials P. M. Duxbury, S. G. Kim (East Lansing, MI, USA) and P. L. Leath (Piscataway, NJ, USA)	25
Dynamics of earthquakes and fracture J. S. Langer (Santa Barbara, CA, USA) and H. Nakanishi (Yokohama, Japan)	33
The impact of grain boundary character distribution upon fracture in polycrystals T. Watanabe (Sendai, Japan)	39
Fracture of silicon nitride and silicon carbide at elevated temperatures S. M. Wiederhorn, B. A. Fields and B. J. Hockey (Gaithersburg, MD, USA)	51
A theory on fatigue crack initiation T. Mura (Evanston, IL, USA)	61
High temperature fracture H. Vehoff (Düsseldorf, Germany)	71
Mechanisms of toughening brittle polymers A. S. Argon, R. E. Cohen (Cambridge, MA, USA) and T. M. Mower (Lexington, MA, USA)	79
Dislocation activity and brittle-ductile transitions in single crystals S. G. Roberts, A. S. Booth and P. B. Hirsch (Oxford, UK)	91
Dislocation loops at crack tips: control and analysis of sources in silicon G. Michot, M. A. Loyola de Oliveira and A. George (Paris, France)	99
Experimental study of the mechanisms of brittle-to-ductile transition of cleavage fracture in Si single crystals K. J. Hsia (Urbana, IL, USA) and A. S. Argon (Cambridge, MA, USA)	111
Brittle-to-ductile transition studied by constant-rate indentation cracking K. Maeda, H. Nishioka, N. Narita and S. Fujita (Tokyo, Japan)	121
Dislocation-free zone model of mode III fracture: the effect of crack bluntness S.-T. Shiue (Taichung, Taiwan) and S. Lee (Hsinchu, Taiwan)	127
Asymptotic dislocation density fields for cracks in an elastic, perfectly plastic solid J. Weertman (Evanston, IL, USA)	131
Analysis of crack-dislocation interaction: crack closure, crack opening M. A. Loyola de Oliveira and G. Michot (Nancy, France)	139

CONTENTS (continued)

Effect of dislocation activities on crack extension in ionic crystals	147
K. Higashida, N. Narita and K. Matsunaga (Kyoto, Japan)	
Modelling of dislocation mobility controlled brittle-to-ductile transition	155
V. R. Nitzsche and K. J. Hsia (Urbana, IL, USA)	
The experimental verification of the shielding effect in zirconia	165
Y. Kogo (Kanagawa, Japan), Y. Kagawa (Tokyo, Japan) and H. Hatta (Kanagawa, Japan)	
Brittle fracture initiation in low carbon steels at ductile-brittle transition temperature region	171
M. Koida, A. Kikuchi, T. Yagi and M. Nagumo (Tokyo, Japan)	
Weight functions for short cracks	177
H. O. K. Kirchner (Orsay, France) and G. Michot (Nancy, France)	
Influence of the magnesium concentration on the relationship between fracture mechanism and strain rate in high purity Al-Mg alloys	181
T. Mukai, K. Higashi and S. Tanimura (Osaka, Japan)	
Hydrogen enhanced localized plasticity—a mechanism for hydrogen-related fracture	191
H. K. Birnbaum and P. Sofronis (Urbana, IL, USA)	
Crack-impurity interactions and their role in the embrittlement of Fe alloy crystals charged with light elements	203
N. Narita, T. Shiga, K. and Higashida (Kyoto, Japan)	
Early stages in the development of stress corrosion cracks	211
R. H. Jones and E. P. Simonen (Richland, WA, USA)	
Environmental effects of crack tip processes at the atomic level	219
R. G. Hoagland and Y. Liu (Pullman, WA, USA)	
Chemical environment effect on indentation-induced fracture of silicon	225
K. Masuda-Jindo (Yokohama, Japan) and K. Maeda (Tokyo, Japan)	
Acoustic emission associated with the fracture of Al and Al alloy embrittled by liquid gallium	231
Y. Kodama, P. K. Choi, H. Koizumi and S. Hyodo (Kawasaki, Japan)	
Crack initiation criterion at notches in Zr-2.5Nb alloys	237
S. Sagat (Chalk River, Ont., Canada), S. Q. Shi and M. P. Puls (Pinawa, Man., Canada)	
Modelling of hydrogen-induced fracture in iron	249
K. Kitajima (Yamaguchi, Japan)	
Atomic theory of fracture of crystalline materials: cleavage and dislocation emission criteria	255
K. Masuda-Jindo (Yokohama, Japan), S. J. Zhou (St. Louis, MO, USA), R. Thomson (Gaithersburg, MD, USA) and A. E. Carlsson (St. Louis, MO, USA)	
Molecular dynamics study of crack processes associated with dislocation nucleated at the tip	263
H. Kitagawa, A. Nakatani and Y. Shibutani (Osaka, Japan)	
Atomistic consideration and computer simulation of the initiation and the process of crack propagation	271
K. Nishioka, J. Tajima, Y. Adachi (Tokushima, Japan), T. Takai (Takamatsu, Japan) and Y. Arimitsu (Matsuyama, Japan)	
Simulation of plastic deformation and fracture of small crystals	277
M. Doyama (Yamanashi, Japan)	
Computer experiments of fracture of two-dimensional Henley-Elser type quasicrystals	283
Y. Sasajima, H. Tanaka, H. Itaba, K. Maekawa and S. Ozawa (Hitachi, Japan)	
Stochastic microfracture process of ceramics	289
M. Enoki, Y. Utoh and T. Kishi (Tokyo, Japan)	
Dynamical modelling of fracture propagation	295
Y. H. Taguchi (Tokyo, Japan)	
Multirange fractal description of fractured surfaces	299
C. W. Lung (Shenyang, China)	
Energetics and model simulation of impact fracture of brittle solids	303
S. Shimamura (Ube, Japan)	
Theory of non-isothermal crack propagation in plastic and viscous-plastic materials	309
I. L. Maksimov, N. G. Golubeva, G. M. Maksimova, V. S. Metrikin, V. N. Smirnova and J. V. Svirina (Nizhny Novgorod, Russian Federation)	

CONTENTS (continued)

A simple model for crack propagation	317
H. Nakanishi and J. S. Langer (Yokohama, Japan)	
Thermomechanical fracture instabilities in the current-carrying state of conducting media	321
I. L. Maksimov and J. V. Svirina (Nizhny Novgorod, Russian Federation)	
Interface control for resistance to intergranular cracking	329
K. T. Aust (Toronto, Ont., Canada), U. Erb (Kingston, Ont., Canada) and G. Palumbo (Toronto, Ont., Canada)	
General solution of screw dislocations near an interfacial crack	335
S. Lee (Hsinchu, Taiwan)	
Grain boundary structure, energy and strength in molybdenum	341
S. Tsunekawa, T. Tanaka and H. Yoshinaga (Kasuga Fukuoka, Japan)	
Modeling of thermal cycling creep damage of short fiber metal matrix composites	349
M. L. Dunn and M. Taya (Seattle, WA, USA)	
Crack-fiber interaction and interfacial failure models in fiber-reinforced ceramics	357
K. Goto and Y. Kagawa (Tokyo, Japan)	
Role of chromium in the intergranular fracture of high purity Fe-P-Cr alloys with small amounts of carbon.	363
C. Liu, K. Abiko and M. Tanino (Sendai, Japan)	
Estimation of fracture resistance of Al_2O_3 polycrystals from single-crystal values	371
B. N. Kim and T. Kishi (Tokyo, Japan)	
Quantitative analysis of closure stress-crack separation curve in grain bridge toughening of polycrystalline ceramics	379
Y. Kagawa (Tokyo, Japan)	
Significance of fracture facet size in cleavage fracture process of welded joints	385
T. Ishikawa and T. Haze (Oita, Japan)	
Effect of dislocation substructure of crack tip on near fatigue threshold in dual-phase steels	393
Y. S. Zheng, Z. G. Wang and S. H. Ai (Shenyang, China)	
Phenomenological aspects of fatigue life and fatigue crack initiation in high strength alloys at cryogenic temperature	397
O. Umezawa and K. Ishikawa (Ibaraki, Japan)	
Atomic force microscopy observations of iron-sapphire fracture surfaces	405
M. A. Smith, J. Y. Josefowicz and D. P. Pope (Philadelphia, PA, USA)	
Nanometer-scale observations of metallic glass fracture surfaces	411
Y. Watanabe, Y. Nakamura (Kanagawa, Japan), J. T. Dickinson, D. M. Kulawansa and S. C. Langford (Pullman, PA, USA)	
Crack propagation velocity in NaCl single crystals	417
H. Koizumi (Kanagawa, Japan), S. Katakura and T. Suzuki (Tokyo, Japan)	
Observation of fracture features in fused quartz with laser-induced internal flaws	421
Y. Z. Li, M. P. Harmer and Y. T. Chou (Bethlehem, PA, USA)	
Impact properties of intermetallic compounds	425
A. Kimura, A. Koya, T. Morimura and T. Misawa (Muroran, Japan)	
Crack-tip dislocations and fracture behavior in Ni_3Al and Ni_3Si	431
M. H. Yoo, C. L. Fu and J. A. Horton (Oak Ridge, TN, USA)	
Dynamic grain growth and ductility enhancement at intermediate temperature	439
L. C. Lim and H. H. Lu (Singapore, Singapore)	
High-temperature deformation and cavitation in fine-grained alumina	447
Y. Yoshizawa and T. Sakuma (Tokyo, Japan)	
Toughening mechanisms in the high temperature fracture of high purity alumina	455
T. J. Marrow and S. G. Roberts (Oxford, UK)	
Experimental investigation of cavitation fracture at very high strain rates in superplastic aluminium alloy matrix composites	461
K. Higashi (Osaka, Japan) and M. Mabuchi (Nagoya, Japan)	
Singular stresses of glass fibre reinforced plastics with a broken layer at low temperatures	471
S. Ueda (Shizuoka, Japan) and Y. Shindo (Sendai, Japan)	
Conference Sponsors	483
AUTHOR INDEX	485
SUBJECT INDEX	487

